

CELL 40

CONCRETE DISTRESS SURVEY

DATE 05/19/05

0-50ft

~~S.L. = 4~~
S.L. = 4

107+46.77

JOINT 1172

(80k)

 $107+44.97$

107+43.2

102 k


S.L = 4
C.L = 5

DATE 05/19/05

CELL 40

50-100ft

S.L. = 3
Rdps = 1




S.L. = 3
C.L. = 5

CONCRETE DISTRESS SURVEY
DATE

S.L = 4

CELL 40

100-150ft



CONCRETE DISTRESS SURVEY


DATE 05/19/05

S.L = 4
C.L = 5

CELL 40

150-200ft

S.L. = 3
G.H. = 11/12 ft




CONCRETE DISTRESS SURVEY
DATE

S.L. = 3
C.L. = 5
G.H. = 5'

CELL 40

200-250ft

S.L. = 3



CONCRETE DISTRESS SURVEY

DATE


S.L. = 3

C.L. = S

CELL 40

250-300ft

S.L. = 4
E.L.




CONCRETE DISTRESS SURVEY

DATE 05/19/05

CELL 40

S.L=3

300-350ft



S.L=3


C.L=5

CONCRETE DISTRESS SURVEY
DATE

S.L. = 3

CELL 40

350-400ft




S.L. = 3
C.I. = 5

CONCRETE DISTRESS SURVEY

DATE 05/19/05

CELL 40

400-450ft




S.L = 4
C.L = 5

CONCRETE DISTRESS SURVEY
DATE

CELL 40

450-500ft

S.L. = 2
M.S. = 1 1/2



CONCRETE DISTRESS SURVEY
DATE

S.L. = 2
M.S. = 1 1/2
C.L. = S