


3/20/2017 LEP

11/07/17 LP n/c

3/14/18 MCV

3/12/2018 LEP

Long-const. joints are higher in this cell but crack still visible where drawn



N

Cell 19, 50 Feet - 100 Feet

Station
1218+05

10-Foot Shoulder

HMA Cracking Study

0'

10'

20'

30'

40'

50'



4-Foot Shoulder

N

Cell 19, 100 Feet - 150 Feet

Station
1218+55

10-Foot Shoulder

HMA Gracking Study

0'


10'

20'


30'

40'

50'



4-Foot Shoulder



Station
1219+05

Cell 19, 150 Feet - 200 Feet

HMA Cracking Study

10-Foot Shoulder

4-Foot Shoulder

N

Cell 19, 200 Feet - 250 Feet

Station
1219+55

10-Foot Shoulder

HMA Cracking Study

0'


10'

20'

30'

40'

50'



4-Foot Shoulder

N

Cell 19, 250 Feet - 300 Feet

Station
1220+05

10-Foot Shoulder

HMA Gracking Study

0'

10'

20'

30'

40'

50'



tight
CL crack

4-Foot Shoulder

N

Cell 19, 300 Feet - 350 Feet

Station
1220+55

10-Foot Shoulder

HMA Cracking Study

0'

10'

20'

30'

40'

50'



4-Foot Shoulder

N

Cell 19, 350 Feet - 400 Feet

Station
1221+05

10-Foot Shoulder

HMA Cracking Study

0'

10'

20'

30'

40'

50'

0



13

4-Foot Shoulder

N

Cell 19, 400 Feet - 450 Feet

Station
1221+55

HMA Cracking Study

10-Foot Shoulder

0'

10'

20'

30'

40'

50'



4-Foot Shoulder

N

Cell 19, 450 Feet - 500 Feet


End Station is
1222+55'

10-Foot Shoulder

HMA Cracking Study

Station
1222+05

0' 10' 20' 30' 40' 50'



4-Foot Shoulder